## NUKE GUYS MIKROFASER WASCHMITTEL

Page: 1

Compilation date: 19.04.2021

Revision No: 1

## Section 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

#### Product name: NUKE GUYS MIKROFASER WASCHMITTEL

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: PC35: Washing and cleaning products (including solvent based products).

## 1.3. Details of the supplier of the safety data sheet

Company name: Motodox GmbH

Stockstädter Straße 20 Großostheim 63762

Deutschland

Tel: +49(0)6026700950

Email: vl@motodox.de

# 1.4. Emergency telephone number

Emergency tel: +49(0)613119240 (Giftinfo Mainz)

# Section 2: Hazards identification

# 2.1. Classification of the substance or mixture

Classification under CLP: Eye Dam. 1: H318

Most important adverse effects: Causes serious eye damage.

## 2.2. Label elements

## Label elements:

Hazard statements: H318: Causes serious eye damage.

Hazard pictograms: GHS05: Corrosion



| Signal words:             | Danger  |  |  |
|---------------------------|---|--|--|
| Precautionary statements: | P102: Keep out of reach of children.  |  |  |
|                           | P280: Wear protective gloves/protective clothing/eye protection/face protection.    |  |  |
|                           | P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove |  |  |
|                           | contact lenses, if present and easy to do. Continue rinsing.                        |  |  |
|                           | P310: Immediately call a POISON CENTER or doctor.                                   |  |  |
|                           | P501: Dispose of contents and container to an approved waste disposal plant.        |  |  |

# NUKE GUYS MIKROFASER WASCHMITTEL

# 2.3. Other hazards

**PBT:** This product is not identified as a PBT/vPvB substance.

# Section 3: Composition/information on ingredients

# 3.2. Mixtures

## Hazardous ingredients:

ALCOHOLS, C9-11, ETHOXYLATED

| EINECS    | CAS        | PBT / WEL | CLP Classification                   | Percent |
|-----------|------------|-----------|--------------------------------------|---------|
| 931-514-1 | 68439-46-3 | -         | Eye Dam. 1: H318; Acute Tox. 4: H302 | 1-10%   |

AMINES, COCO ALKYLDIMETHYL, N-OXIDES

| 263-016-9 | 61788-90-7 | - | Skin Irrit. 2: H315; Eye Dam. 1: H318; |  |
|-----------|------------|---|--|--|
|           |            |   | Aquatic Chronic 2: H411; Aquatic Acute |  |
|           |            |   | 1: H400                                |  |

1-PROPANAMINIUM, 3-AMINO-N-(CARBOXYMETHYL)-N,N-DIMETHYL-, N-COCO ACYL DERIVS., HYDROXIDES, INNER SALTS

| 263-058-8 | 61789-40-0 | - | Eye Dam. 1: H318; Aquatic Acute 1: | <1% |  |
|-----------|------------|---|------------------------------------|-----|--|
|           |            |   | H400; Aquatic Chronic 3: H412      |     |  |

## Section 4: First aid measures

| 4.1. Description of first aid measures   |   |  |  |  |
|--|---|--|--|--|
| Skin contact:  | Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash |  |  |  |
| immediately with plenty of soap and water.   |   |  |  |  |
| Eye contact: Bathe the eye with running water for 15 minutes. Transfer to hospital for specialist      |   |  |  |  |
| examination.   |   |  |  |  |
| Ingestion: Wash out mouth with water. Do not induce vomiting. If conscious, give half a litre of water |   |  |  |  |
| to drink immediately. Consult a doctor.  |   |  |  |  |
| Inhalation:  | Remove casualty from exposure ensuring one's own safety whilst doing so.            |  |  |  |
| 4.2. Most important symptoms and effects, both acute and delayed                                       |   |  |  |  |
| Skin contact:  | There may be irritation and redness at the site of contact.                         |  |  |  |
| Eye contact:   | There may be pain and redness. The eyes may water profusely. There may be severe    |  |  |  |
|  | pain. The vision may become blurred. May cause permanent damage.                    |  |  |  |
| Ingestion:   | There may be soreness and redness of the mouth and throat. Nausea and stomach       |  |  |  |
|  | pain may occur.   |  |  |  |
| Inhalation:  | There may be irritation of the throat with a feeling of tightness in the chest.     |  |  |  |
| Delayed / immediate effects:   | Immediate effects can be expected after short-term exposure.                        |  |  |  |
| 4.3. Indication of any immediate medical attention and special treatment needed                        |   |  |  |  |

Immediate / special treatment: Eye bathing equipment should be available on the premises.

# NUKE GUYS MIKROFASER WASCHMITTEL

#### Section 5: Fire-fighting measures

#### 5.1. Extinguishing media

**Extinguishing media:** Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.

## 5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes.

#### 5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

Section 6: Accidental release measures

## 6.1. Personal precautions, protective equipment and emergency procedures

**Personal precautions:** Mark out the contaminated area with signs and prevent access to unauthorised

personnel. Do not attempt to take action without suitable protective clothing - see section

8 of SDS. Turn leaking containers leak-side up to prevent the escape of liquid.

# 6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

#### 6.3. Methods and material for containment and cleaning up

**Clean-up procedures:** Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method.

## 6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

## Section 7: Handling and storage

#### 7.1. Precautions for safe handling

**Handling requirements:** Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area. Avoid the formation or spread of mists in the air.

## 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed.

7.3. Specific end use(s)

Specific end use(s): No data available.

# Section 8: Exposure controls/personal protection

## 8.1. Control parameters

Workplace exposure limits: No data available.

# NUKE GUYS MIKROFASER WASCHMITTEL

# **DNEL/PNEC** Values

## Hazardous ingredients:

## AMINES, COCO ALKYLDIMETHYL, N-OXIDES

| Туре | Exposure                              | Value         | Population | Effect   |
|------|---------------------------------------|---------------|------------|----------|
| DNEL | Inhalation                            | 15,5          | Workers    | Systemic |
| DNEL | Dermal                                | 11 mg/kg      | Workers    | Systemic |
| DNEL | Inhalation                            | 3,8           | Consumers  | Systemic |
| DNEL | Dermal                                | 5,5 mg/kg     | Consumers  | Systemic |
| DNEL | Oral                                  | 0,44          | Consumers  | Systemic |
| PNEC | Fresh water                           | 0,0335 mg/ml  | -          | -        |
| PNEC | Marine water                          | 0,00335 mg/ml | -          | -        |
| PNEC | Microorganisms in sewage<br>treatment | 24 mg/ml      | -          | -        |
| PNEC | Fresh water sediments                 | 1,14 mg/kg    | -          | -        |
| PNEC | Marine sediments                      | 0,114 mg/kg   | -          | -        |
| PNEC | Soil (agricultural)                   | 0,906 mg/kg   | -          | -        |
| PNEC | Food chain                            | 11,1 mg/kg    | -          | -        |

## 8.2. Exposure controls

Engineering measures:Ensure there is sufficient ventilation of the area.Respiratory protection:Self-contained breathing apparatus must be available in case of emergency.Hand protection:Protective gloves.Eye protection:Tightly fitting safety goggles. Ensure eye bath is to hand.Skin protection:Protective clothing.

## Section 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

State: Liquid

**pH:** 8,4

# 9.2. Other information

Other information: No data available.

# Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

# 10.2. Chemical stability

Chemical stability: Stable under normal conditions.

# NUKE GUYS MIKROFASER WASCHMITTEL

## 10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

## 10.4. Conditions to avoid

Conditions to avoid: Heat.

## 10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

# **10.6. Hazardous decomposition products**

Haz. decomp. products: In combustion emits toxic fumes.

## Section 11: Toxicological information

# 11.1. Information on toxicological effects

#### Hazardous ingredients:

#### ALCOHOLS, C9-11, ETHOXYLATED

| DERMAL | RBT | LD50 | 2000 | mg/kg |
|--------|-----|------|------|-------|
| ORAL   | RAT | LD50 | 2000 | mg/kg |

## AMINES, COCO ALKYLDIMETHYL, N-OXIDES

| DERMAL | RBT | LD50 | 300-2000 | mg/kg |
|--------|-----|------|----------|-------|
| ORAL   | RAT | LD50 | 2000     | mg/kg |

# 1-PROPANAMINIUM, 3-AMINO-N-(CARBOXYMETHYL)-N,N-DIMETHYL-, N-COCO ACYL DERIVS., HYDROXIDES, INNER SALTS

| DERMAL | RBT | LD50 | >2000 | mg/kg |
|--------|-----|------|-------|-------|
| ORAL   | RAT | LD50 | 2335  | mg/kg |

## **Relevant hazards for product:**

| Hazard                        | Route | Basis                 |
|-------------------------------|-------|-----------------------|
| Serious eye damage/irritation | OPT   | Hazardous: calculated |

## Symptoms / routes of exposure

| Skin contact:  | There may be irritation and redness at the site of contact.                     |  |  |
|--|---|--|--|
| Eye contact: There may be pain and redness. The eyes may water profusely. There may b  |   |  |  |
|  | pain. The vision may become blurred. May cause permanent damage.                |  |  |
| Ingestion: There may be soreness and redness of the mouth and throat. Nausea and stoma |   |  |  |
|  | pain may occur.   |  |  |
| Inhalation:  | There may be irritation of the throat with a feeling of tightness in the chest. |  |  |
| Delayed / immediate effects:   | Immediate effects can be expected after short-term exposure.                    |  |  |

# NUKE GUYS MIKROFASER WASCHMITTEL

**Page:** 6

## Section 12: Ecological information

## 12.1. Toxicity

## Hazardous ingredients:

## ALCOHOLS, C9-11, ETHOXYLATED

| ALGAE   | 72H ErC50 | 10-100 | mg/l |
|---------|-----------|--------|------|
| DAPHNIA | 72H ErC50 | 5-10   | mg/l |
| FISH    | 96H LC50  | 5-10   | mg/l |

## AMINES, COCO ALKYLDIMETHYL, N-OXIDES

| Daphnia magna                          | 48H EC50 | 1-10  | mg/l |
|--|----------|-------|------|
| FISH                                   | 96H LC50 | 1-10  | mg/l |
| GREEN ALGA (Selenastrum capricornutum) | 48H EC50 | 0,1-1 | mg/l |

## 1-PROPANAMINIUM, 3-AMINO-N-(CARBOXYMETHYL)-N,N-DIMETHYL-, N-COCO ACYL DERIVS., HYDROXIDES, INNER SAL

| FISH 96H LC50 | 472-500 | mg/l |
|---------------|---------|------|
|---------------|---------|------|

# 12.2. Persistence and degradability

## Persistence and degradability: Biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

12.4. Mobility in soil

Mobility: Readily absorbed into soil.

## 12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity.

## Section 13: Disposal considerations

## 13.1. Waste treatment methods

**Disposal operations:** Transfer to a suitable container and arrange for collection by specialised disposal company.

**NB:** The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

## **Section 14: Transport information**

Transport class: This product does not require a classification for transport.

# NUKE GUYS MIKROFASER WASCHMITTEL

# Section 15: Regulatory information

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: Not applicable.

# 15.2. Chemical Safety Assessment

**Chemical safety assessment:** A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

## Section 16: Other information

# Other information

| Other information:           | according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation         |
|------------------------------|--|
|                              | (EU) 2015/830  |
|                              | * indicates text in the SDS which has changed since the last revision.                   |
| Phrases used in s.2 and s.3: | H302: Harmful if swallowed.  |
|                              | H315: Causes skin irritation.  |
|                              | H318: Causes serious eye damage.   |
|                              | H400: Very toxic to aquatic life.  |
|                              | H411: Toxic to aquatic life with long lasting effects.                                   |
|                              | H412: Harmful to aquatic life with long lasting effects.                                 |
| Legal disclaimer:            | The above information is believed to be correct but does not purport to be all inclusive |
|                              | and shall be used only as a guide. This company shall not be held liable for any         |
|                              | damage resulting from handling or from contact with the above product.                   |
|                              |  |